

I, Laurence D. Weygand, a registered Engineer-Land Surveyor, certify that I have surveyed the land shown hereon and described below; that there are no rights-of-way, easements, or joint driveways over or across said land visible on the surface except as shown; that there are no electric or telephone wires (including wires which serve premises not) or structures or supports therefor, including poles, anchors and guy wires, on or over said premises except as shown; that I have consulted the Federal Insurance Administration Flood Hazard Boundary Map and found that this property is not located in a special flood hazard area; that improvements are located as shown; that this survey meets the minimum technical standards for surveys as required by the State of Alabama (using 14" long #5 rebar) to the best of my knowledge, information and belief; and that the correct description is as follows:

A Tract of land situated in the SE 1/4 of the SW 1/4 and the SW 1/4 of the SE 1/4 of Section 36, Township 17 South, Range 1 West, Jefferson County, Alabama, and being more particularly described as follows:


Commence at the SE corner of the SE 1/4 of the SW 1/4 of Section 36, and also the point of beginning; thence Easterly along the South line of the SW 1/4 of the SE 1/4, 693.13 feet; thence S 10° 44' 29" East, 560.01 feet; thence 90° 40' 40" East, 250.00 feet; thence 90° 40' 40" East, 406.02 feet; thence S 8° 23' 23" East, 666.00 feet; thence E 11° 04' East, 170.00 feet to the South line of the SE 1/4 of the SW 1/4; thence S 8° 05' 30" East, 542.12 feet along the South line of the SE 1/4 of the SW 1/4 to the point of beginning.

LESS AND EXCEPT part of the SW 1/4 of the SE 1/4 of Section 36, Township 17 South, Range 1 West, Jefferson County, Alabama, being more particularly described as follows:

From the SW corner of said SW 1/4 of SE 1/4 of said Section 36, run in an easterly direction along the south line of said SW 1/4 section for a distance of 660.13 feet to the point of beginning; thence continue in an easterly direction along the mentioned course for a distance of 23.0 feet; thence run an angle to the left of 120° 44' 59" and run in a southeasterly direction for a distance of 225.0 feet; thence run an angle to the left of 90° and run in a southeasterly direction for a distance of 23.0 feet; thence turn an angle to the left of 90° and run in a southeasterly direction for a distance of 203.66 feet, more or less, to the point of beginning.

According to my survey of FEB 15, 2001  
Order No. 8428E  
Purchase: 25 ACRES  
Address: 701 Foster Road  
Flood Zone: X  
PLAT # 47-0732-0363E

Laurence D. Weygand  
Laurence D. Weygand  
Reg. P.E.-L.S. #10373  
169 Ozmore Road P.E. 942-0066  
Homewood, AL 35209



STATE OF ALABAMA  
JEFFERSON COUNTY

I, LAURENCE D. WEYGAND, a registered Engineer-Land Surveyor in the State of Alabama, do hereby certify that the foregoing is a true and correct copy of the original survey as shown on the attached plat. I, the undersigned, am the author of the original survey and the copy hereon shown. I have personally inspected the original survey and the copy hereon shown and have found them to be true and correct copies of the original survey and the copy hereon shown. I have also personally inspected the original survey and the copy hereon shown and have found them to be true and correct copies of the original survey and the copy hereon shown.